


Precision Water Baths



Exceptional performance and reliability
for laboratory applications

Complete Controlled Environment Solutions



Ordering Information

For General Purpose and Circulating Baths

Water Level Regulator Kit

Adjustable float valve automatically opens when the water level in the bath falls below preset limits to keep the bath full. Valve and float are mounted on a removable bonnet for easy maintenance and service. Kit includes 6 ft. (1.8 meters) 1/4 in. I.D. Tygon tubing, nylon fittings, clamps, and adjustable mounting bracket.

Description	Cat. No.
Regulator Kits for Steaming Water Baths	51200832
For Circulating, Reciprocal Shaking, and Coliform Baths	51200844

Sample Racks

Stainless Steel Racks hold Petri dishes or test tubes.

Description	Cat. No.
Petri Dish Rack Measures 9 3/4 x 8 3/4 x 6 1/4 in. (248 x 222 x 159 mm). Holds 80 50mm Petri dishes or 30 90mm Petri dishes	51200804
Test Tube Rack Measures 10 x 8 1/2 x 5 1/2 in. (254 x 216 x 140 mm). Openings are 1 in. (25mm) square. Holds 50 test tubes up to 25mm from 97 to 150mm high	34002581

Oakite Sanitizer

Description	Cat. No.
A safe yet effective quaternary ammonium type germicide and disinfectant. 1 quart (0.946 liter)	51200912

Glass Thermometers

Non-hazardous glass thermometers read in 1.0°C increments.

Description	Cat. No.
Model 180 and 280 General Purpose Baths, 0°C to 105°C, 6.5 in. (165 mm) long	34307058
All other Precision 180 and 280 Series General Purpose Baths. 0°C to 100°C, 12 in. (305 mm) long	34307059
All Circulating and Shaking Water Baths, 1.0°C increments, 12 in. (305 mm) long	34307059

***All thermometers are for monitoring purposes only!**

For Reciprocal, Shaking, Shallow Form and Dubnoff Baths

Gassing Hood

For use with Dubnoff and Shallow Form Shaking Baths. Permits control over the atmosphere surrounding the sample. Also improves temperature uniformity and reduces energy consumption. Polished stainless steel with plastic gas fitting. Each bath will accommodate 1 large hood or 2 small hoods.

Description	Cat. No.
Small (5.6 x 11.35 in.)	34380301
Large (11.21 x 11.35 in.)	34380302

Oxygen/Nitrogen/CO2 Flowmeter

For use with Dubnoff and Shallow Form Shaker Baths. Independent controls regulate flow of gas to sample environment. Permits flow rates from 0 to 10 CFH (0 to 4719 cc/minute)

Description	Cat. No.
Flowmeter	51200802

Microfuge Test Tube Rack

For use with Shallow Form or Dubnoff baths; requires Clip Fastener. Measures 5 x 4 x 1-1/2 in. (127 x 101 x 39 mm).

Description	Cat. No.
0.5 ml tubes (holds 63) (not shown)	51200805
1.5 ml tubes (holds 30)	51200806

Test Tube Tray

For use with Reciprocal, Dubnoff, and Shallow Form Shaking Baths. Measures 5 x 10.2 in. (12.7 x 25.9 cm).

Description	Cat. No.
Holds 10-13 to 25 mm test tubes	34002553

Flask Tray

For use in Reciprocal, Dubnoff, and Shallow Form Shaking Baths. Measures 5 x 10.2 in. (12.7 x 25.9 cm).

Description	Cat. No.
25ml flask (Holds 18 clips)	34002563
50ml flask (Holds 10 clips)	51200849

Test Tube Clips

For use in Reciprocal, Dubnoff, and Shallow Form Shaking Baths. Stainless steel. Each requires one fastener.

Description	Cat. No.
Holds 13 mm to 25 mm tube	51200837

Flask Clips and Fasteners

For use in Reciprocal, Dubnoff, and Shallow Form Shaking Baths. Secure various size flasks to bath platform. Stainless steel. Each requires one fastener.

Flask Clip Capacities

Flask Vol.	Model 25, Shallowform, Dubnoff		Cat. No.
	Model 50	Model 50	
25ml	20	48	51200848
50ml	15	36	51200819
125ml	9	24	51200842
250ml	6	14	51220205
500ml	4	12	51200820
1000ml	2	5	51200821

Clip Fasteners (One required per flask clip or tube. Package of 25.) 51200810

High Wall Tray

Description	Cat. No.
For use with Precision Shallow Form, Dubnoff, and Shaking Bath Model 25 (11.25 x 12.5 x 7.5 in.)	34542813
For use with Precision Shaking Bath Model 50. (11.25 x 24 x 7.5 in.)	34542814

For Steaming Baths

Ring Sets

For Steaming Baths. Stainless Steel ring sets nest smoothly and become progressively larger as rings are removed.

Description	Cat. No.
4 in. (100mm)	51200807
5 in. (125mm)	51200808
6 in. (150mm)	51200836

Concentric Ring Cover

Stainless steel cover converts the Model 184 or 284 Utility Bath for use as a steaming bath. Five openings (3 small, 2 large) accommodate glassware ranging in diameter from 4/5 to 4 in. in 1 in. (2 to 10 cm) increments. Openings enlarge as rings are removed.

Description	Cat. No.
Concentric Ring Cover	34002532

Gable Covers

Replacement Gable Covers are available. Contact your Thermo representative for details.

For more information, please contact us:

ExpotechUSA

10700 Rockley Road

Houston, TX -77099

USA

Phone: 281.496.0900

Fax: 281-496-0400

E-mail: sales@ExpotechUSA.com

Website: www.ExpotechUSA.com