

Catalog Number Index

| Cat. No. | Page | Cat. No. | Page | Cat. No. | Page | Cat. No. | Page | Cat. No. | Page |
|--------------|-------------|-----------|------|----------|------|------------|------|-------------|---------|
| K10020 | 43 | K11416 | 93 | K13220 | 45 | K16229 | 34 | K18020 | 28 |
| K10029 | 43 | K11450 | 93 | K13250 | 46 | K16270 | 34 | K18021 | 28 |
| K10090 | 43 | K11459 | 93 | K13251 | 46 | K16291 | 33 | K18022 | 28 |
| K10091 | 43 | K11491 | 93 | K13252 | 46 | K16500 | 38 | K18023 | 28 |
| K10190 | 43 | K115 | 75 | K13253 | 46 | K16502 | 38 | K18028 | 28 |
| K10191 | 43 | K11500 | 92 | K13290 | 45 | K16503 | 38 | K18029 | 28 |
| K10200 | 42 | K11810 | 94 | K13294 | 45 | K16504 | 38 | K18030 | 28 |
| K10210 | 42 | K120-50 | 75 | K132-144 | 75 | K16506 | 38 | K18100 | 26, 28 |
| K10220 | 42 | K120-200 | 75 | K132-500 | 75 | K16507 | 38 | K18110 | 28 |
| K10280 | 42 | K12100 | 123 | K133-144 | 75 | K16508 | 38 | K18119 | 28 |
| K10290 | 42 | K12130 | 123 | K133-500 | 75 | K16509 | 38 | K18190 | 28 |
| K10400 | 81, 82 | K12190 | 123 | K134-144 | 75 | K16510 | 38 | K18191 | 28 |
| K10401 | 81, 82 | K121-50 | 75 | K134-500 | 75 | K16511 | 38 | K18192 | 28 |
| K10402 | 81, 82 | K121-200 | 75 | K13900 | 36 | K16512 | 38 | K18200 | 163 |
| K10403 | 81, 82 | K12200 | 120 | K13901 | 33 | K16513 | 38 | K18210 | 163 |
| K10404 | 81, 82 | K12201 | 121 | K13990 | 36 | K16514 | 38 | K18220 | 163 |
| K10491 | 81, 82 | K12210 | 122 | K13991 | 33 | K16515 | 38 | K18290 | 163 |
| K10493 | 81, 82 | K12212 | 120 | K14000 | 36 | K16516 | 38 | K18295 | 163 |
| K10500 | 80 | K12219 | 120 | K144C | 75 | K16517 | 38 | K18300 | 27, 156 |
| K10504-0-1 | 84 | K12230 | 119 | K144SW | 75 | K16591 | 38 | K18305 | 156 |
| K10504 | 84 | K12239 | 119 | K14400 | 47 | K16592 | 38 | K18306 | 156 |
| K10505 | 84 | K12250 | 122 | K14459 | 47 | K16593 | 38 | K18320 | 156 |
| K10506 | 84 | K12260 | 122 | K14461 | 47 | K16594 | 38 | K18325 | 156 |
| K10510 | 81, 82 | K12281 | 122 | K14462 | 47 | K17000 | 174 | K18326 | 156 |
| K10520 | 81, 82 | K12290 | 120 | K14463 | 47 | K17090 | 174 | K18340 | 156 |
| K10525 | 81, 82 | K122-0-18 | 122 | K14464 | 47 | K17100 | 177 | K18341 | 156 |
| K10530 | 81, 82 | K122-0-19 | 122 | K14490 | 47 | K17110 | 177 | K18345 | 156 |
| K10540 | 81, 82, 85 | K122-0-20 | 122 | K14510 | 35 | K17190 | 177 | K18346 | 156 |
| K10551 | 81, 82, 152 | K122-0-21 | 122 | K14520 | 35 | K17200 | 177 | K18347 | 156 |
| K10556 | 81, 82, 152 | K122-0-22 | 122 | K14600 | 35 | K17290 | 177 | K18348 | 156 |
| K10560 | 81, 82 | K122-0-23 | 122 | K14601 | 33 | K17300 | 177 | K183-0-1A | 156 |
| K10570 | 84 | K122-0-27 | 122 | K14604 | 33 | K17390 | 177 | K183-0-4 | 156 |
| K10580 | 84 | K122-0-28 | 122 | K14670 | 35 | K17500 | 178 | K18500 | 161 |
| K10590 | 84 | K122-0-30 | 122 | K14690 | 35 | K175-0-8 | 178 | K18590 | 161 |
| K10594 | 84 | K12300 | 121 | K14691 | 34 | K17600 | 179 | K18595 | 161 |
| K10595 | 84 | K12330 | 121 | K14694 | 33 | K17690 | 179 | K18650 | 127 |
| K10596 | 84 | K12339 | 121 | K15520 | 33 | K17700 | 26 | K18660 | 127 |
| K10600 | 85 | K12395 | 121 | K15600 | 37 | K17710 | 26 | K18661 | 127 |
| K10601 | 85 | K13009 | 44 | K15610 | 37 | K17770 | 26 | K18700 | 160 |
| K10901 | 152 | K13010 | 44 | K15620 | 37 | K17900 | 154 | K18723 | 160 |
| K10991 | 152 | K13020 | 44 | K15670 | 37 | K17910 | 154 | K18790 | 160 |
| K11000 | 152 | K13029 | 44 | K15690 | 37 | K17920 | 154 | K18795 | 160 |
| K11005 | 152 | K13032 | 44 | K16000 | 34 | K17930 | 154 | K18850 | 159 |
| K11029 | 152 | K13033 | 44 | K16010 | 34 | K17970 | 154 | K18851 | 159 |
| K11040 | 152 | K13100 | 44 | K16020 | 34 | K17979 | 154 | K18852 | 159 |
| K11095 | 152 | K13150 | 46 | K16101 | 33 | K17980 | 154 | K18853 | 159 |
| K11201 | 92 | K13190 | 44 | K16104 | 33 | K17981 | 154 | K18854 | 159 |
| K11202 | 92 | K131-144 | 75 | K16171 | 134 | K17981-0-2 | 154 | K18855 | 159 |
| K112B-1-0-12 | 94 | K131-500 | 75 | K16172 | 134 | K17981-0-3 | 154 | K18860 | 159 |
| K11401 | 93 | K13200 | 45 | K16191 | 33 | K17982 | 154 | K18860-0-16 | 159 |
| K11404-50 | 93 | K13203 | 45 | K16194 | 33 | K17983 | 154 | K18860-0-24 | 159 |
| K11404-200 | 93 | K13204 | 45 | K16200 | 34 | K17984 | 154 | K18861 | 159 |
| K11404-1000 | 93 | K13205 | 45 | K16201 | 33 | K17989 | 154 | K18862 | 159 |
| K11415 | 93 | K13210 | 45 | K16220 | 34 | K18000 | 28 | K18863 | 159 |

Catalog Number Index (Continued)

| Cat. No. | Page | Cat. No. | Page | Cat. No. | Page | Cat. No. | Page | Cat. No. | Page |
|----------|----------|-------------|--------|-------------|----------------------|----------|------------------|-------------|------|
| K18864 | 159 | K20700 | 27 | K23362 | 8 | K25319 | 90, 91, 99 | K27700 | 66 |
| K18865 | 159 | K20800 | 26, 27 | K23363 | 8 | K25320 | 90 | K27701 | 66 |
| K18870 | 159 | K20900 | 27 | K23364 | 8 | K25329 | 90 | K27760 | 66 |
| K18871 | 159 | K20910 | 24, 27 | K23371 | 4 | K25330 | 90, 91, 131, 155 | K27761 | 66 |
| K18900 | 165 | K21000 | 27 | K23373 | 4 | K25339 | 90, 91, 131, 155 | K27762 | 66 |
| K18910 | 165 | K21001 | 27 | K23374 | 4 | K25360 | 99 | K27770 | 66 |
| K18919 | 165 | K21002 | 27 | K23376 | 4 | K25370 | 99 | K27771 | 66 |
| K19000 | 164 | K21404 | 16 | K23377 | 4 | K25900 | 103 | K27772 | 66 |
| K19050 | 164 | K21410 | 16 | K23377-0100 | 4 | K25990 | 103 | K27780 | 66 |
| K19100 | 26 | K21414 | 16 | K23378 | 4 | K25995 | 103 | K27781 | 66 |
| K19200 | 162 | K21420 | 16 | K23381 | 8 | K26000 | 20 | K27782 | 66 |
| K19290 | 162 | K21424 | 16 | K23382 | 8 | K26030 | 20 | K27785 | 66 |
| K19295 | 162 | K22009 | 17 | K23383 | 8 | K26150 | 103 | K27790 | 66 |
| K192-1-4 | 162 | K22010 | 17 | K23384 | 8 | K26200 | 50 | K27791 | 66 |
| K192-1-6 | 162 | K22010-C/F | 17 | K23387 | 8 | K26290 | 50 | K27792 | 66 |
| K19300 | 166 | K22011 | 17 | K23388 | 8 | K26300 | 49 | K27795 | 66 |
| K19310 | 166 | K22020 | 17 | K23410 | 148 | K26390 | 49 | K277-EXT1 | 66 |
| K19400 | 151 | K22020-C/F | 17 | K23419 | 148 | K26400 | 50 | K277-EXT2 | 66 |
| K19410 | 151 | K22029 | 17 | K23425 | 110 | K26410 | 50 | K277-EXT3 | 66 |
| K19490 | 150 | K22030 | 17 | K23462 | 8 | K26490 | 50 | K277-EXT6 | 66 |
| K19491 | 150 | K22039 | 17 | K23463 | 13 | K26500 | 63 | K277-EXT12 | 66 |
| K19492 | 150 | K22050 | 17 | K23464 | 13 | K26501 | 63 | K277-EXT18 | 66 |
| K19493 | 150 | K22060 | 17 | K23465 | 13 | K26502 | 63 | K277C-EXT1 | 66 |
| K19499 | 150 | K22070 | 17 | K23466 | 13 | K26503 | 63 | K277C-EXT2 | 66 |
| K194EA | 150, 151 | K22080 | 17 | K23480 | 8 | K26590 | 63 | K277C-EXT3 | 66 |
| K194EB | 151 | K22090 | 17 | K23700 | 3 | K26600 | 21 | K277C-EXT6 | 66 |
| K194EC | 151 | K22309 | 17 | K23702 | 3 | K26601 | 21 | K277C-EXT12 | 66 |
| K194E1 | 151 | K22600 | 157 | K23702-OS | 4 | K26602 | 21 | K277C-EXT18 | 66 |
| K194E2 | 151 | K22610 | 157 | K23706 | 3 | K26610 | 21 | K27800 | 66 |
| K194E3 | 151 | K22615 | 157 | K23708 | 3 | K26610-1 | 21 | K27851 | 67 |
| K194E4 | 151 | K22680 | 158 | K23708-OS | 4 | K26610-2 | 21 | K27852 | 67 |
| K194E5 | 151 | K22680-0-16 | 158 | K23780 | 4 | K26610-3 | 21 | K27853 | 67 |
| K194E6 | 150, 151 | K22680-0-22 | 158 | K23790 | 3 | K26610-4 | 21 | K27854 | 67 |
| K194E7 | 150, 151 | K22685 | 158 | K23792 | 3 | K26610-5 | 21 | K27856 | 67 |
| K19500 | 24 | K22686 | 158 | K23792-OS | 3 | K26610-6 | 21 | K27900 | 66 |
| K19510 | 24 | K22690 | 157 | K23796 | 3 | K27000 | 95 | K28000 | 67 |
| K19520 | 24, 27 | K22690-0-27 | 157 | K23798 | 3 | K27010 | 95 | K28010 | 67 |
| K19525 | 24 | K22695 | 157 | K23798-OS | 4 | K27020 | 95 | K28300 | 172 |
| K19535 | 24 | K22696 | 157 | K23800 | 5 | K27021 | 95 | K28310 | 172 |
| K19536 | 24 | K226-0-16 | 157 | K23802 | 5 | K27050 | 95 | K28320 | 172 |
| K19552 | 25 | K226-0-22 | 157 | K23890 | 5 | K27060 | 95 | K28321 | 172 |
| K19587 | 25 | K22751 | 6 | K23892 | 5 | K27065 | 95 | K28401 | 173 |
| K19588 | 25 | K22752 | 6 | K24000 | 122 | K27100 | 59 | K28402 | 173 |
| K19800 | 27 | K22753 | 6 | K25000 | 89, 91, 99, 131, 155 | K27190 | 59 | K28404 | 173 |
| K19900 | 27 | K22754 | 6 | K25080 | 91, 131, 155 | K27200 | 59 | K28405 | 173 |
| K20000 | 26 | K23000 | 61 | K25090 | 89, 91, 131 | K27320 | 59 | K28495 | 173 |
| K20090 | 27 | K23090 | 61 | K25100 | 89, 91, 131, 155 | K27400 | 67 | K28496 | 173 |
| K20200 | 27 | K23310 | 8 | K25200 | 91 | K27401 | 67 | K29200 | 166 |
| K20210 | 27 | K23320 | 8 | K25280 | 99, 155 | K27500 | 73 | K29200-1 | 166 |
| K20300 | 27 | K23330 | 8 | K25282 | 99 | K27501 | 73 | K29200-2 | 166 |
| K20500 | 26 | K23350 | 8 | K25308 | 155 | K27504 | 73 | K29200-3 | 166 |
| K20570 | 26 | K23351 | 8 | K25309 | 90 | K27505 | 73 | K29200-4 | 166 |
| K20600 | 26 | K23360 | 8 | K25310 | 90, 91, 99 | K27600 | 67 | K29200-5 | 166 |
| K20670 | 26 | K23361 | 8 | K25312 | 90, 131 | K27610 | 67 | K29200-6 | 166 |

Catalog Number Index (Continued)

| Cat. No. | Page | Cat. No. | Page | Cat. No. | Page | Cat. No. | Page | Cat. No. | Page |
|------------|-------------------|---------------|---------|---------------|------|-----------|--------|----------|-------------|
| K29290 | 166 | K30820 | 129 | K33850/380503 | 87 | K351-0-5 | 125 | K41502 | 104 |
| K29300 | 149 | K31800 | 72 | K33850/380603 | 87 | K351-0-7 | 125 | K41504 | 104 |
| K29310 | 59, 125, 149, 177 | K31810 | 72 | K33850/415503 | 87 | K351-0-8 | 125 | K41506 | 104 |
| K29319 | 59, 149, 177 | K31820 | 72 | K33850/480503 | 87 | K351-0-13 | 125 | K41592 | 104 |
| K293-0-12 | 125 | K31830 | 72 | K34000 | 9 | K351-0-14 | 125 | K41594 | 104 |
| K29400 | 148 | K31900 | 176 | K34010 | 9 | K35200 | 65 | K41596 | 104 |
| K29490 | 148 | K31910 | 72, 176 | K34700 | 14 | K35210 | 65 | K42000 | 61, 72, 172 |
| K29500 | 148 | K31956 | 176 | K34701 | 14 | K35295 | 65 | K42001 | 72 |
| K29530 | 148, 149 | K320S-200 | 75 | K34702 | 14 | K35296 | 65 | K42090 | 61, 72, 172 |
| K29540 | 148, 149 | K320S-290 | 75 | K34706 | 15 | K35300 | 124 | K42091 | 72 |
| K29550 | 148 | K32230 | 88 | K34707 | 15 | K353-0-1 | 125 | K43002 | 109 |
| K29700 | 96 | K32231 | 88 | K34708 | 15 | K353-0-2 | 125 | K43003 | 109 |
| K29720 | 96 | K32232 | 88 | K34709 | 15 | K353-0-3 | 125 | K43012 | 110 |
| K29721 | 96 | K32233 | 88 | K34710 | 14 | K353-0-4 | 125 | K43025 | 110 |
| K29750-1-7 | 96 | K33031 | 110 | K34711 | 14 | K353-0-5 | 125 | K43026 | 110 |
| K29758-0-7 | 96 | K33032 | 110 | K34712 | 14 | K353-0-6 | 125 | K43041 | 109 |
| K29759-1-7 | 96 | K33200 | 70 | K34715 | 15 | K353-0-7 | 125 | K43049 | 109 |
| K29760 | 94 | K33201 | 70 | K34716 | 15 | K353-0-8 | 125 | K43092 | 109 |
| K29768 | 94 | K33201-0 | 70 | K34750 | 15 | K36010 | 64 | K43093 | 109 |
| K29769 | 94 | K33201-1 | 70 | K34751 | 15 | K36019 | 64 | K44000 | 136 |
| K29790 | 96 | K33201-4 | 70 | K34752 | 15 | K36050 | 64 | K44001 | 136 |
| K29795 | 96 | K33202 | 70 | K34760 | 15 | K36059 | 64 | K44061 | 136 |
| K29796 | 96 | K33203 | 70 | K34761 | 15 | K39100 | 112 | K44062 | 136 |
| K29800 | 131 | K33203-0 | 70 | K34762 | 15 | K39110 | 112 | K44063 | 136 |
| K29801 | 131 | K33203-6 | 70 | K34770 | 15 | K39119 | 112 | K44064 | 136 |
| K29900 | 130 | K33204 | 70 | K35000 | 124 | K39120 | 112 | K44065 | 136 |
| K29910 | 130 | K33205 | 70 | K35010 | 125 | K39130 | 112 | K44066 | 136 |
| K29920 | 130 | K33205-0 | 70 | K35011 | 125 | K39140 | 112 | K44067 | 136 |
| K29930 | 130 | K33205-2 | 70 | K35012 | 125 | K39149 | 112 | K44068 | 136 |
| K29990 | 130 | K33205-6 | 70 | K35013 | 125 | K39150 | 112 | K44069 | 136 |
| K30000 | 130 | K33206 | 70 | K35020 | 125 | K39170 | 112 | K44071 | 136 |
| K30010 | 130 | K33209 | 71 | K35030 | 125 | K39179 | 112 | K44072 | 136 |
| K30100 | 98, 129 | K33210 | 71 | K35040 | 125 | K39180 | 112 | K44073 | 136 |
| K30101 | 98, 129 | K33211 | 71 | K35050 | 125 | K39189 | 112 | K44074 | 136 |
| K30110 | 98, 129 | K33212 | 71 | K35060 | 125 | K39200 | 111 | K44075 | 136 |
| K30119 | 129 | K33213 | 71 | K35070 | 125 | K39251 | 111 | K44076 | 136 |
| K30130 | 98, 129 | K33214 | 71 | K35080 | 125 | K39252 | 111 | K44090 | 136 |
| K30140 | 129 | K33215 | 71 | K35090 | 125 | K39296 | 111 | K44091 | 136 |
| K30150 | 98, 129 | K33216 | 71 | K35095 | 125 | K39900 | 89 | K45000 | 56 |
| K30160 | 128 | K33217 | 71 | K350-0-23 | 125 | K39990 | 89 | K45090 | 56 |
| K30160NACE | 98 | K33218 | 71 | K350-0-24 | 125 | K40000 | 89 | K45100 | 56 |
| K30161 | 128 | K33219 | 71 | K350-0-25 | 125 | K40001 | 7 | K45190 | 56 |
| K30165 | 128 | K33220 | 71 | K35100 | 124 | K40002 | 7 | K45200 | 56 |
| K30165NACE | 98 | K33700 | 86 | K35110 | 125 | K40005 | 7 | K45290 | 56 |
| K30166 | 128 | K33710 | 87 | K35120 | 125 | K40007 | 7 | K45300 | 56 |
| K30166NACE | 98 | K33780 | 86 | K35130 | 125 | K40010 | 7 | K45390 | 56 |
| K30167 | 128 | K33781 | 86 | K35140 | 125 | K40011 | 7 | K45410 | 56 |
| K30168 | 128 | K33800 | 86, 87 | K35150 | 125 | K40012 | 7 | K45420 | 56 |
| K30180 | 129 | K33810 | 87 | K35160 | 125 | K40013 | 7 | K45430 | 56 |
| K30500 | 176 | K33850 Series | 87 | K35170 | 125 | K40091 | 7 | K45440 | 56 |
| K30510 | 176 | K33850/208601 | 87 | K351-0-1 | 125 | K40100 | 89, 94 | K45601 | 57 |
| K30520 | 176 | K33850/208603 | 87 | K351-0-2 | 125 | K40200 | 89 | K45602 | 57 |
| K30800 | 129 | K33850/240601 | 87 | K351-0-3 | 125 | K40300 | 105 | K45603 | 57 |
| K30810 | 129 | K33850/240603 | 87 | K351-0-4 | 125 | K40310 | 105 | K45604 | 57 |

Catalog Number Index (Continued)

| Cat. No. | Page | Cat. No. | Page | Cat. No. | Page | Cat. No. | Page | Cat. No. | Page |
|-------------|------|-------------|------|-------------|----------|----------|------|--------------------|--------------|
| K45627-A | 57 | K56290 | 126 | K70503RETRO | 118 | K84009 | 171 | K93100 | 140 |
| K45654 | 57 | K56300 | 68 | K70504 | 115 | K84090 | 171 | K93110 | 140 |
| K45677-A | 57 | K56306 | 68 | K70504RETRO | 118 | K86000 | 76 | K93130 | 140 |
| K45800 | 174 | K56390 | 68 | K70519 | 84, 118 | K86001 | 76 | K93131 | 140 |
| K45800-1 | 174 | K61002 | 62 | K70592 | 115 | K86002 | 76 | K93132 | 140 |
| K45801 | 174 | K61092 | 62 | K70592RETRO | 118 | K86010 | 76 | K93190 | 140 |
| K45802 | 174 | K61094 | 63 | K70593 | 115 | K86020 | 76 | K93400 | 141 |
| K45803 | 174 | K61102 | 62 | K70593RETRO | 118 | K86050 | 77 | K93420 | 141 |
| K45900 | 100 | K61104 | 62 | K70594 | 115 | K86051 | 77 | K93490 | 141 |
| K45910 | 100 | K61105 | 62 | K70594RETRO | 118 | K86052 | 77 | K93500 | 142 |
| K45920 | 100 | K61106 | 62 | K80000 | 172 | K86053 | 77 | K93520 | 142 |
| K45950 | 100 | K61107 | 62 | K80001 | 172 | K86054 | 77 | K93530 | 142 |
| K45995 | 100 | K61108 | 62 | K80002 | 172 | K86055 | 77 | K93540 | 142 |
| K46000 | 132 | K61109 | 62 | K80003 | 172 | K86056 | 77 | K93590 | 142 |
| K46001 | 132 | K61110 | 62 | K80010 | 170 | K86057 | 77 | K93600 | 146 |
| K460-0-8 | 132 | K61111 | 62 | K80011 | 170 | K86058 | 77 | K93690 | 146 |
| K460-1-7B | 132 | K61112 | 62 | K80012 | 170 | K86059 | 77 | K93900 | 141 |
| K46100 | 132 | K70000 | 114 | K80013 | 170, 171 | K86070 | 76 | K94300 | 143 |
| K46120 | 132 | K70002 | 114 | K80015 | 170 | K86075 | 76 | K94301 | 143 |
| K46195 | 132 | K70003 | 114 | K80020 | 170 | K86080 | 76 | K94302 | 143 |
| K46196 | 132 | K70004 | 114 | K80025 | 170 | K87000 | 53 | K94303 | 143 |
| K46300 | 132 | K70010/24 | 114 | K80030 | 60 | K87010 | 53 | K94304 | 143 |
| K46395 | 132 | K70011 | 114 | K80031 | 60 | K87015 | 53 | K94400 | 144 |
| K46396 | 132 | K70012 | 114 | K80032 | 60 | K87020 | 53 | K94401 | 144 |
| K46600 | 60 | K70013 | 114 | K80033 | 60 | K87150 | 54 | K94402 | 144 |
| K46690 | 60 | K70017 | 114 | K80034 | 60 | K87160 | 54 | K94403 | 144 |
| K47000 | 39 | K70018 | 114 | K80035 | 60 | K87250 | 55 | K94490 | 144 |
| K470-0-1-14 | 39 | K70030 | 117 | K80040 | 171 | K87260 | 55 | K94500 | 145 |
| K47500 | 58 | K70040 | 117 | K80041 | 171 | K88000 | 175 | K94501 | 145 |
| K47510 | 58 | K70048 | 117 | K80045 | 171 | K88000-1 | 175 | K94502 | 145 |
| K47520 | 58 | K70049 | 117 | K80200 | 52 | K88001 | 175 | K94590 | 145 |
| K47530 | 58 | K70050 | 117 | K80201 | 52 | K88500 | 113 | K94600 | 144 |
| K47540 | 58 | K70080 | 117 | K80202 | 52 | K88500-1 | 113 | K94601 | 144 |
| K47550 | 58 | K70081 | 117 | K80203 | 52 | K88501 | 113 | K94690 | 144 |
| K47560 | 58 | K70083 | 117 | K80204 | 52 | K88502 | 113 | K94695 | 144 |
| K47570 | 58 | K70090 | 117 | K80205 | 52 | K88600 | 102 | K94700 | 145 |
| K47580 | 58 | K70091 | 117 | K80206 | 52 | K88601 | 102 | K94701 | 145 |
| K47590 | 58 | K70092 | 114 | K80208 | 52 | K88602 | 102 | K95500 | 25 |
| K48100 | 105 | K70093 | 117 | K80208-J | 52 | K88603 | 102 | K95519 | 25, 27 |
| K481-0-5 | 105 | K70094 | 117 | K80211 | 52 | K88604 | 102 | K95573 | 25, 27 |
| K48300 | 61 | K70095 | 117 | K80211-J | 52 | K88605 | 102 | K95576 | 25 |
| K48400 | 61 | K700-0-3 | 114 | K80214 | 52 | K88606 | 102 | K95590 | 25 |
| K48500 | 61 | K700-0-3A | 114 | K80290 | 52 | K88607 | 102 | K95600 | 26, 27, 29 |
| K48600 | 61 | K70200 | 116 | K80291 | 52 | K88608 | 102 | K95695 | 26, 27, 29 |
| K48700 | 61 | K70290 | 116 | K80294 | 52 | K88609 | 102 | K95696 | 26, 27, 29 |
| K50100 | 135 | K70300 | 116 | K83000 | 172 | K88610 | 102 | K105044-0-1A | 152 |
| K50101 | 135 | K70390 | 116 | K83001 | 172 | K88612 | 102 | KLA-1 | 97, 101, 133 |
| K50102 | 135 | K70400 | 116 | K83002 | 172 | K90100 | 69 | KLA-2 | 97, 101, 133 |
| K50190 | 135 | K70401 | 117 | K83090 | 172 | K90104 | 69 | KLA-3 | 97, 101, 133 |
| K56100 | 126 | K70490 | 116 | K84000 | 171 | K90190 | 69 | KLA-4 | 97, 101, 133 |
| K56110 | 126 | K70500 | 118 | K84001 | 171 | K90300 | 51 | KLA-5 | 97, 101, 133 |
| K56112 | 126 | K70502 | 115 | K84002 | 171 | K90350 | 51 | 250-000-01F Series | 184-191 |
| K56190 | 126 | K70502RETRO | 118 | K84003 | 171 | K90360 | 51 | 250-000-01C Series | 184-191 |
| K56200 | 126 | K70503 | 115 | K84008 | 171 | K90390 | 51 | 250-002-001 | 122 |

Catalog Number Index (Continued)

| Cat. No. | Page | Cat. No. | Page | Cat. No. | Page |
|--------------------------|----------------------|------------------|-------------|-------------------------|-----------------------------------|
| 250-004-01F Series... | 184-191 | 332-005-007..... | 64 | 355-005-027..... | 15, 19 |
| 250-004-01C Series.. | 184-191 | 332-005-010..... | 123 | 355-005-028..... | 19 |
| 250-100-001..... | 158 | 332-005-011..... | 123 | 355-005-032..... | 19 |
| 251-000-001..... | 103 | 332-007-001..... | 59 | 355-005-038..... | 19 |
| 251-000-004..... | 103 | 332-010-001..... | 105 | 355-005-048..... | 19 |
| 251-000-01H Series..... | 48 | 337-000-002..... | 105 | 355-005-060..... | 19 |
| 251-000-21H Series..... | 48 | 338-000-001..... | 105 | 355-005-074..... | 19 |
| 251-000-51H Series..... | 48 | 339-000-001..... | 105 | 355-005-115..... | 15, 19 |
| 251-000-71H Series..... | 48 | 344-005-001..... | 110 | 357-000-001..... | 26 |
| 251-000-82H Series..... | 48 | 344-005-01C..... | 110 | 360-000-003..... | 112 |
| 251-000-102H Series..... | 49 | 344-100-001..... | 110 | 362-001-000..... | 39 |
| 251-000-300H Series..... | 49 | 344-100-01C..... | 110 | 362-001-001..... | 105 |
| 279-115-005..... | 44 | 355-001-001..... | 8, 123, 152 | 362-010-001..... | 59 |
| 279-230-002..... | 44 | 355-001-002..... | 8, 16 | 371-000-002..... | 94 |
| 280-115-005..... | 44 | 355-002-003..... | 18 | 374-115-001..... | 39 |
| 280-230-003..... | 44 | 355-002-006..... | 18 | 374-230-001..... | 39 |
| 289-001-006..... | 159, 162 | 355-002-020..... | 18 | 378-000-C03 Series..... | 11 |
| 289-004-001..... | 161 | 355-002-060..... | 18 | 378-001-C08 Series..... | 12 |
| 289-004-002..... | 154, 161 | 355-002-200..... | 18 | 378-001-C09 Series..... | 12 |
| 289-004-003..... | 160 | 355-002-203..... | 18 | 378-001-C19 Series..... | 13 |
| 289-004-004..... | 160 | 355-002-304..... | 18 | 378-001-C20 Series..... | 13 |
| 308-000-004..... | 117 | 355-002-600..... | 18 | 378-001-C21 Series..... | 13 |
| 308-000-005..... | 81, 82 | 355-002-803..... | 18 | 378-00A-C08 Series..... | 12 |
| 308-001-02B..... | 81, 82 | 355-003-005..... | 18 | 378-00A-C18 Series..... | 12 |
| 308-001-02R..... | 81, 82 | 355-003-010..... | 18 | 378-004-C13 Series..... | 13 |
| 308-115-001..... | 39 | 355-003-103..... | 18 | 378-025-C01 Series..... | 10 |
| 308-230-004..... | 39 | 355-003-500..... | 18 | 378-025-C02 Series..... | 11 |
| 311-005-002..... | 92 | 355-003-503..... | 18 | 378-025-C06 Series..... | 13 |
| 311-015-002..... | 92 | 355-003-752..... | 18 | 378-025-C10 Series..... | 12 |
| 311-030-002..... | 92 | 355-004-001..... | 18 | 378-025-C11 Series..... | 11 |
| 311-060-002..... | 92 | 355-004-004..... | 18 | 378-025-C12 Series..... | 11 |
| 311-100-002..... | 92 | 355-004-008..... | 18 | 378-025-C14 Series..... | 13 |
| 311-160-003..... | 152 | 355-004-010..... | 18 | 378-025-C15 Series..... | 11 |
| 311-250-001..... | 92 | 355-004-035..... | 18 | 378-025-C16 Series..... | 11 |
| 311-600-003..... | 92 | 355-004-100..... | 18 | 378-025-C17 Series..... | 12 |
| 332-001-005..... | 105 | 355-004-103..... | 18, 19 | 378-0M1-C18 Series..... | 12 |
| 332-002-003..... | 56, 176 | 355-004-203..... | 19 | 380-100-001..... | 98, 122 |
| 332-002-006..... | 129 | 355-004-153..... | 18, 19 | 380-150-000..... | 89, 91, 99, 125, 131, 155 |
| 332-002-007..... | 98 | 355-004-154..... | 19 | 380-150-001..... | 89, 91, 99, 125, 127, 131, 155 |
| 332-002-009..... | 165 | 355-004-194..... | 19 | 380-150-002..... | 129 |
| 332-002-011..... | 49 | 355-004-203..... | 19 | 380-240-001..... | 89, 91, 99, 125, 131, 155 |
| 332-002-013..... | 56 | 355-004-275..... | 19 | 380-240-002..... | 65, 129 |
| 332-002-014..... | 56 | 355-004-304..... | 19 | 382-018-001..... | 59 |
| 332-002-017..... | 87 | 355-004-350..... | 18 | 387-115-001..... | 110 |
| 332-002-018..... | 111 | 355-004-403..... | 18, 19 | 387-230-001..... | 110 |
| 332-003-001..... | 56 | 355-004-454..... | 19 | 388-001-003..... | 26 |
| 332-003-002..... | 56 | 355-004-600..... | 19 | 388-001-006..... | 26 |
| 332-003-003..... | 17 | 355-004-623..... | 19 | AS568-113..... | 94 |
| 332-003-005..... | 56 | 355-004-803..... | 19 | AS568-210..... | 94 |
| 332-003-006..... | 56 | 355-005-010..... | 19 | AS568-219..... | 132 |
| 332-003-007..... | 39 | 355-005-012..... | 19 | AS568-009-V14..... | 122 |
| 332-004-001..... | 132 | 355-005-014..... | 19 | | |
| 332-004-002..... | 91, 131, 155 | 355-005-015..... | 19 | | |
| 332-004-004..... | 91, 131, 155, 179 | 355-005-019..... | 19 | | |
| 332-005-005..... | 110 | 355-005-022..... | 19 | | |
| | | 355-005-025..... | 19 | | |

Test Method Standards Index

American Society for Testing and Materials (ASTM) Methods

| Standard | Page No. | Standard | Page No. | Standard | Page No. | Standard | Page No. |
|-----------------------|-------------------|----------|--------------|----------|---------------|----------|--------------|
| ASTM Draft Method ... | 74, 154, 158, 166 | D565 | 192 | D1319 | 104, 182 | D2352 | 195 |
| C70 | 192 | D566 | 150 | D1321 | 24-27, 29 | D2363 | 195 |
| C128 | 192 | D609 | 197 | D1322 | 95 | D2384 | 528 |
| C135 | 192 | D611 | 42-43, 182 | D1347 | 193 | D2385 | 195 |
| C188 | 192 | D612 | 192 | D1384 | 197 | D2386 | 96-97, 182 |
| D5 | 24-26, 29 | D664 | Upon Request | D1394 | 193 | D2420 | 195 |
| D6 | 174 | D665 | 98, 128-129 | D1401 | 111 | D2440 | 119, 123 |
| D20 | 192 | D721 | 179 | D1402 | 197 | D2500 | 132-133, 182 |
| D29 | 192 | D789 | 192 | D1403 | 24-27, 29 | D2509 | 146 |
| D36 | 172 | D848 | 193 | D1404 | 166 | D2511 | 197 |
| D56 | 33, 35, 182 | D849 | 197 | D1465 | 177 | D2532 | 6 |
| D70 | 192 | D850 | 56-57 | D1478 | 159 | D2533 | 195 |
| D86 | 56-57, 182 | D854 | 193 | D1480 | 194 | D2547 | 60 |
| D87 | 178 | D873 | 80-84 | D1481 | 194 | D2549 | 195 |
| D88 | 16-17 | D874 | Upon Request | D1500 | 45-47 | D2569 | 195 |
| D91 | 62 | D877 | 134 | D1505 | 194 | D2570 | 197 |
| D92 | 33, 36, 182 | D888 | 193 | D1524 | 45 | D2595 | 149 |
| D93 | 32, 34, 182 | D889 | 193 | D1541 | 194 | D2596 | 140, 197 |
| D95 | 72 | D891 | 193 | D1544 | 47 | D2619 | 195, 197 |
| D96 | 62-63 | D892 | 108-110 | D1552 | Upon Request | D2622 | 182 |
| D97 | 132-133 | D893 | 62 | D1559 | Upon Request | D2624 | Upon Request |
| D113 | 170 | D897 | 197 | D1607 | 194 | D2625 | Upon Request |
| D115 | 192, 197 | D914 | 193 | D1638 | 194 | D2670 | 146 |
| D127 | Upon Request | D937 | 24-27, 29 | D1657 | 103 | D2688 | 197 |
| D128 | Upon Request | D941 | 193 | D1740 | Upon Request | D2699 | 102 |
| D130 | 90-91, 99, 131 | D942 | 152-153 | D1742 | 165 | D2700 | 102 |
| D139 | 176 | D943 | 119-122 | D1743 | 154 | D2709 | 62 |
| D153 | 192 | D971 | Upon Request | D1747 | 73 | D2711 | 62, 112 |
| D156 | 44, 46-47 | D972 | 148 | D1748 | 65 | D2717 | 195 |
| D189 | 60 | D1015 | 193 | D1754 | 174 | D2747 | 58 |
| D215 | 192 | D1016 | 193 | D1796 | 62 | D2748 | 195 |
| D216 | 56 | D1018 | 193 | D1816 | 134 | D2780 | 195 |
| D217 | 24-29 | D1065 | 193 | D1831 | 27, 156 | D2782 | 146 |
| D233 | 56 | D1072 | 193 | D1837 | 105 | D2783 | 140, 197 |
| D244 | 16-17, 72, 176 | D1078 | 56-57 | D1838 | 89 | D2784 | 58 |
| D270 | 66-67 | D1085 | 67 | D1839 | 194 | D2785 | 58 |
| D285 | 57 | D1091 | 193 | D1949 | 194 | D2793 | 140 |
| D287 | 48-49 | D1092 | 157 | D1963 | 194 | D2847 | 197 |
| D297 | 192 | D1093 | 193 | D1966 | 194 | D2872 | 175 |
| D301 | 192 | D1120 | 193 | D2001 | 194 | D2878 | 148-149 |
| D322 | 192 | D1142 | 88 | D2002 | 194 | D2879 | 195 |
| D323 | 50, 92-94 | D1160 | 52-54 | D2003 | 194 | D2882 | 146 |
| D369 | 192 | D1168 | 193 | D2007 | 194 | D2884 | 24-25, 29 |
| D370 | 72 | D1173 | 193 | D2036 | 194 | D2886 | 195 |
| D381 | 86-87 | D1177 | 68 | D2111 | 194 | D2892 | 55, 195 |
| D402 | 192 | D1209 | 46-47 | D2112 | 114-118 | D2893 | 119-122 |
| D422 | 192 | D1217 | 193 | D2155 | 39 | D2896 | Upon Request |
| D445 | 2-13, 18-21, 182 | D1218 | 73 | D2158 | 105 | D2910 | 195 |
| D446 | 8-13 | D1261 | 197 | D2162 | 18-19, 194 | D2912 | 195 |
| D447 | 56 | D1263 | 160 | D2170 | 2-13 | D2913 | 195 |
| D453 | 192 | D1264 | 162 | D2171 | 13 | D2914 | 195 |
| D482 | Upon Request | D1265 | 66-67 | D2184 | 195 | D2972 | 195 |
| D473 | 61 | D1266 | 193 | D2265 | 151 | D2983 | 14-15 |
| D483 | 64 | D1267 | 92-94 | D2266 | 140, 146, 197 | D3117 | 94 |
| D524 | 59 | D1275 | 197 | D2272 | 114-118 | D3120 | 182 |
| D525 | 80-84 | D1298 | 48-50 | D2273 | 62 | D3143 | 37 |
| D555 | 192 | D1310 | 37 | D2274 | 119-122 | D3227 | Upon Request |

Test Method Standards Index (Continued)

(ASTM) Methods con't

| Standard | Page No. | Standard | Page No. |
|----------|--|----------|--|
| D3230 | 61, 182 | D5000 | Upon Request |
| D3233 | 146 | D5001 | 146 |
| D3234 | 195 | D5183 | 140 |
| D3235 | 179 | D5236 | 55 |
| D3242 | 196 | D5304 | 85 |
| D3246 | 182 | D5386 | 47 |
| D3278 | 38 | D5453 | 182 |
| D3336 | 146 | D5482 | 182 |
| D3366 | 68 | D5599 | 182 |
| D3427 | 113 | D5619 | 146 |
| D3431 | 196 | D5704 | 127 |
| D3505 | 196 | D5769 | 182 |
| D3527 | 161 | D5800 | 136 |
| D3603 | 98, 128-129 | D5968 | 119, 124-125 |
| D3608 | 196 | D6045 | 46-47 |
| D3702 | 146 | D6074 | 2-13, 36, 45, 48-50, 59-60 66-67, 90-91, 99, 111, 131-133 |
| D3712 | 196 | D6079 | 141, 146 |
| D3799 | Upon Request | D6082 | 108-110 |
| D3810 | 197 | D6158 | 2-13, 36, 48-50, 90-91, 98-99, 111, 120-122, 128-129, 131-133 |
| D3825 | 196 | D6184 | 164 |
| D3828 | 38 | D6278 | 146 |
| D3831 | 196 | D6287 | Upon Request |
| D3867 | 196 | D6371 | 100-101 |
| D3904 | 196 | D6594 | 119, 124-125 |
| D3907 | 196 | E8 | 197 |
| D3908 | 196 | E28 | 172 |
| D3945 | 196 | E100 | 48-49 |
| D3948 | Upon Request | E102 | 16-17 |
| D4006 | 196 | E123 | 72 |
| D4007 | 62 | E133 | 56 |
| D4048 | 155 | E308 | 46 |
| D4049 | 163 | E659 | 39 |
| D4052 | Upon Request | F483 | 197 |
| D4057 | 66-67 | F484 | 197 |
| D4172 | 140, 146 | F519 | 197 |
| D4180 | 196 | G65 | 146 |
| D4206 | 38 | G76 | 146 |
| D4290 | 161 | G77 | 146 |
| D4310 | 119-122 | G99 | 142, 146 |
| D4340 | Upon Request | G105 | 146 |
| D4422 | Upon Request | G133 | Upon Request |
| D4484 | 196 | P226 | 170-171 |
| D4486 | 196 | | |
| D4512 | 196 | | |
| D4530 | Upon Request | | |
| D4629 | 196 | | |
| D4635 | 197 | | |
| D4636 | 119, 124-125 | | |
| D4693 | 159 | | |
| D4740 | 76 | | |
| D4742 | 114-118 | | |
| D4814 | 196 | | |
| D4860 | Upon Request | | |
| D4871 | 196, 197 | | |
| D4928 | 51 | | |
| D4950 | 24-25, 28, 150-151, 154, 159, 161-162 | | |

Institute of Petroleum (IP) Standards

| Standard | Page No. | Standard | Page No. |
|----------|-------------|----------------|--------------|
| IP2 | 42-43 | IP161 | 92-94 |
| IP13 | 60 | IP170 | 32 |
| IP14 | 59 | IP179 | 24-27 |
| IP15 | 132-133 | IP182 | 60 |
| IP16 | 96-97 | IP183 | 148 |
| IP34 | 32, 34 | IP195 | 56 |
| IP36 | 33, 36 | IP196 | 45 |
| IP40 | 81-84 | IP198 | 172 |
| IP48 | 126 | IP215 | 162 |
| IP49 | 24-26 | IP219 | 132-133 |
| IP50 | 24-26 | IP220 | 144 |
| IP53 | 61 | IP227 | 99 |
| IP55 | 178 | IP229 | 114-118 |
| IP57 | 95 | IP235 | 103 |
| IP58 | 172 | IP239 | 140 |
| IP69 | 92-94 | IP241 | Upon Request |
| IP71 | 2-13 | IP243 | 58 |
| IP74 | 72 | IP248 | 60 |
| IP75 | 62 | IP267 Method A | 14-15 |
| IP77 | 60 | IP280 | 126 |
| IP80 | 173 | IP291 | 72 |
| IP121 | 164 | IP295 | 134 |
| IP123 | 56-57 | IP300 | 140 |
| IP131 | 86-87 | IP303 | 38 |
| IP132 | 150 | IP304 | 32, 33, 35 |
| IP135 | 98, 128-129 | IP306 | 126 |
| IP138 | 81-84 | IP307 | 126 |
| IP142 | 152-153 | IP309 | 100-101 |
| IP143 | 58 | IP310 | 24-25 |
| IP145 | 62 | IP313 | 113 |
| IP146 | 108-110 | IP319 | 2-13 |
| IP154 | 90-91, 99 | IP331 | 126 |
| IP 156 | 104 | IP335 | 126 |
| IP158 | 179 | IP359 | 62 |
| IP160 | 48-49 | IP376 | 26 |
| | | IP386 | 51 |

Military Standards

| Standard | Page No. | Standard | Page No. |
|--------------|----------|--------------|----------|
| MIL-A-7866 | 197 | MIL-L-6085 | 197 |
| MIL-A-8243 | 197 | MIL-L-7808 | 197 |
| MIL-B-81705 | 197 | MIL-L-7870 | 197 |
| MIL-C-6529 | 197 | MIL-L-8937 | 197 |
| MIL-C-11796 | 197 | MIL-L-23398 | 197 |
| MIL-C-15074 | 197 | MIL-L-23699 | 197 |
| MIL-C-19853A | 197 | MIL-L-23699B | 197 |
| MIL-C-16173 | 197 | MIL-L-25017C | 197 |
| MIL-C-22230 | 197 | MIL-L-46000 | 197 |
| MIL-C-23411 | 197 | MIL-L-46010 | 197 |
| MIL-C-25769H | 197 | MIL-L-B1329 | 197 |
| MIL-C-46113 | 197 | MIL-R-81294 | 197 |
| MIL-C-81309A | 197 | MIL-R-25143A | 197 |
| MIL-G-10924A | 156 | MIL-S-8660 | 197 |

Test Method Standards Index (Continued)

Federal Test Method Standards

| Standard | Page No. | Standard | Page No. |
|--------------|-----------|--------------|-------------------|
| FTM 141-4294 | 36 | FTM 791-3451 | 130 |
| FTM 791-101 | 44 | FTM 791-3452 | 131 |
| FTM 791-102 | 45 | FTM 791-3453 | 152-153 |
| FTM 791-201 | 132 | FTM 791-3454 | 160 |
| FTM 791-304 | 16 | FTM 791-3462 | 135, 197 |
| FTM 791-305 | 2-13 | FTM 791-3601 | 42-43 |
| FTM 791-311 | 24-26, 28 | FTM 791-3805 | 197 |
| FTM 791-312 | 24-25 | FTM 791-3810 | 197 |
| FTM 791-313 | 24-26, 28 | FTM 791-3814 | 197 |
| FTM 791-321 | 164 | FTM 791-4001 | 197 |
| FTM 791-322 | 165 | FTM 791-4011 | 98, 128-129, 197 |
| FTM 791-334 | 159 | FTM 791-4012 | 154 |
| FTM 791-351 | 148 | FTM 791-5001 | 60 |
| FTM 791-1001 | 56 | FTM 791-5002 | 59 |
| FTM 791-1015 | 56 | FTM 791-5304 | 197 |
| FTM 791-1101 | 35 | FTM 791-5305 | 197 |
| FTM 791-1102 | 34 | FTM 791-5306 | 197 |
| FTM 791-1103 | 36 | FTM 791-5307 | 119, 124-125, 197 |
| FTM 791-1201 | 92-94 | FTM 791-5308 | 119, 124-125, 197 |
| FTM 791-1402 | 178 | FTM 791-5309 | 155, 197 |
| FTM 791-1411 | 96 | FTM 791-5310 | 65, 197 |
| FTM 791-1421 | 150 | FTM 791-5311 | 197 |
| FTM 791-2107 | 95 | FTM 791-5312 | 197 |
| FTM 791-2503 | 197 | FTM 791-5314 | 197 |
| FTM 791-2504 | 127, 197 | FTM 791-5315 | 128-129, 197 |
| FTM 791-3001 | 72 | FTM 791-5321 | 130, 197 |
| FTM 791-3002 | 61 | FTM 791-5322 | 197 |
| FTM 791-3007 | 197 | FTM 791-5323 | 197 |
| FTM 791-3201 | 111 | FTM 791-5324 | 197 |
| FTM 791-3211 | 108-110 | FTM 791-5325 | 90-91, 99, 197 |
| FTM 791-3213 | 108-110 | FTM 791-5329 | 197 |
| FTM 791-3252 | 162 | FTM 791-5331 | 193 |
| FTM 791-3302 | 86-87 | FTM 791-5431 | 179 |
| FTM 791-3352 | 81-84 | FTM 791-5702 | 134 |
| FTM 791-3354 | 81-84 | FTM 791-6503 | 197 |
| | | FTM 791-7001 | 197 |

American Association of State Highway and Transportation Officials (AASHTO) Standards

| Standard | Page No. | Standard | Page No. |
|------------|----------|----------------|--------------|
| AASHTO-T48 | 36 | AASHTO-T59 | 72, 176 |
| AASHTO-T50 | 176 | AASHTO-T72 | 16 |
| AASHTO-T51 | 170 | AASHTO-T73-811 | 34 |
| AASHTO-T53 | 172 | AASHTO-T245 | Upon Request |
| AASHTO-T55 | 72 | | |

American Petroleum Institute (API) Standards

| Standard | Page No. | Standard | Page No. |
|----------------------|----------|-----------------------|----------|
| API 2542 | 62 | API Chapter 10.5 MPMS | 72 |
| API 2548 | 62 | API Chapter 10.9 | 51 |
| API Chapter 9.1 MPMS | 48-49 | | |

ISO International Standards

| Standard | Page No. | Standard | Page No. |
|----------|-----------|-----------|--------------|
| ISO1523 | 32 | ISO 3841 | 178 |
| ISO 2049 | 45 | ISO 3993 | 103 |
| ISO 2083 | 60 | ISO 4256 | 92-94 |
| ISO 2137 | 24-28 | ISO 4260 | 58 |
| ISO 2160 | 90-91, 99 | ISO 4262 | 59 |
| ISO 2176 | 150 | ISO 4263 | 120-122 |
| ISO 2592 | 33, 36 | ISO 4625 | 172 |
| ISO 2719 | 32, 34 | ISO 4630 | 46-47 |
| ISO 2908 | 179 | ISO 6246 | 86-87 |
| ISO 2977 | 42-43 | ISO 6251 | 89 |
| ISO 3007 | 92-94 | ISO 6271 | 46-47 |
| ISO 3013 | 96-97 | ISO 6614 | 111 |
| ISO 3014 | 95 | ISO 6615 | 60 |
| ISO 3015 | 132-133 | ISO 6616 | 52-54 |
| ISO 3016 | 132-133 | ISO 7120 | 98, 128-129 |
| ISO 3104 | 2-13 | ISO 7536 | 80-84 |
| ISO 3405 | 56-57 | ISO 9038 | 38 |
| ISO 3675 | 48-49 | ISO 9262 | 14-15 |
| ISO 3679 | 38 | ISO 11007 | 144 |
| ISO 3680 | 38 | ISO 12205 | 120-122 |
| ISO 3733 | 72 | ISO 13736 | 32 |
| ISO 3734 | 62 | ISO 13757 | 105 |
| ISO 3735 | 61 | ISO 17025 | 18-19, 48-49 |

Deutsche Norm (DIN) Standards

| Standard | Page No. | Standard | Page No. |
|-----------|--------------|--------------|-----------|
| DIN 5033 | 47 | DIN 51597 | 132-133 |
| DIN 6162 | 46-47 | DIN 51599 | 111 |
| DIN 6174 | 47 | DIN 51616 | 92-94 |
| DIN 51353 | 112 | DIN 51751 | 56-57 |
| DIN 51355 | 128-129 | DIN 51754 | 92-94 |
| DIN 51362 | 64 | DIN 51757 | 48-49 |
| DIN 51376 | 36 | DIN 51758 | 34 |
| DIN 51381 | 113 | DIN 51759 | 90-91, 99 |
| DIN 51394 | 119, 124-125 | DIN 51775 | 42-43 |
| DIN 51406 | 95 | DIN 51780 | 81-84 |
| DIN 51411 | 44 | DIN 51784 | 86-87 |
| DIN 51421 | 96 | DIN 51789 | 61 |
| DIN 51428 | 99 | DIN 51793 | 62 |
| DIN 51550 | 2-13 | DIN 51799 | 81-84 |
| DIN 51551 | 60 | DIN 51801 | 150 |
| DIN 51566 | 108-110 | DIN 51802 | 144 |
| DIN 51570 | 178 | DIN 51804 | 24-28 |
| DIN 51571 | 179 | DIN 51808 | 152-153 |
| DIN 51572 | 179 | DIN 52010 | 26 |
| DIN 51579 | 24-26 | DIN 52011 | 172 |
| DIN 51580 | 24-27 | DIN 52012 | 173 |
| DIN 51581 | 136 | DIN 52013 | 170 |
| DIN 51585 | 98, 128-129 | DIN EN 41 | 58 |
| DIN 51586 | 119-122 | DIN EN 12593 | 173 |
| DIN 51587 | 119-122 | DIN EN 22719 | 173 |

Test Method Standards Index (Continued)

AFNOR Standards

| Standard | Page No. | Standard | Page No. |
|------------------|-----------|-------------------|-------------|
| NF C 27-221..... | 134 | NF T 60-100 | 2-13 |
| NF E 48-614..... | 113 | NF T 60-102..... | 150 |
| NF M 07-002..... | 56-57 | NF T 60-104..... | 46-47 |
| NF M 07-003..... | 44, 46-47 | NF T 60-105..... | 132 |
| NF M 07-004..... | 86-87 | NF T 60-109..... | 32 |
| NF M 07-010..... | 61 | NF T 60-113..... | 72 |
| NF M 07-011..... | 32 | NF T 60-114..... | 178 |
| NF M 07-012..... | 81-84 | NF T 60-116..... | 60 |
| NF M 07-013..... | 81-84 | NF T 60-117..... | 59 |
| NF M 07-014..... | 60 | NF T 60-119..... | 24-25 |
| NF M 07-015..... | 90-91 | NF T 60-123..... | 24-25 |
| NF M 07-019..... | 32, 34 | NF T 60-125..... | 111 |
| NF M 07-020..... | 62 | NF T 60-129..... | 108-110 |
| NF M 07-021..... | 42-43 | NF T 60-132..... | 24-25 |
| NF M 07-023..... | 60 | NF T 60-135..... | 144 |
| NF M 07-024..... | 104 | NF T 60-142..... | 58 |
| NF M 07-028..... | 95 | NF T 60-150..... | 120-122 |
| NF M 07-047..... | 120-122 | NF T 60-151..... | 98, 128-129 |
| NF M 07-048..... | 96 | NF T 66-026..... | 173 |
| NF M 41-008..... | 103 | NF T 66-104..... | 24-25 |
| | | NF T 66-108..... | 172 |

Miscellaneous Standards

| Standard | Page No. | Standard | Page No. |
|--------------------------------------|--------------|---|-------------|
| AACC 58-14..... | 24-25 | JIS K2207 | 173 |
| AN-G-15..... | 28 | JIS K2265 | 32 |
| ANS A37.11..... | 170 | JIS K2580 | 46 |
| ANS 37.2..... | 176 | FSPT DT-28-65..... | 90-91, 99 |
| ANS Z-11.25..... | 60 | GLP..... | 69 |
| ANS Z-11.6..... | 36 | GPA 2140 ...58, 67, 89, 92-94, 103, 105 | |
| AOCS Cc13e..... | 47 | IATA..... | 38 |
| AOCS Cc 16-60..... | 24-25 | IHC BT-10..... | 124-125 |
| AOCS CD 12-57..... | 120-122 | NACE TM01-72..... | 98, 128-129 |
| BP Appendix 5-Method 6..... | 69 | NBS MONOGRAPH 150..... | 63 |
| CEC L40 A93..... | 136 | Ph EUR..... | 47 |
| CEC-L-18A..... | 14-15 | SIS 155130..... | 134 |
| DOT CFR 49-173.115..... | 38 | Specification E145, Type 1B..... | 174 |
| EN 116..... | 101 | STP 512A..... | 127 |
| EN 1427..... | 172 | TAPPI T652..... | 177 |
| EN 1557..... | 47 | USDA Method 51 (BUL 12-16)..... | 170 |
| EN 13179..... | 172 | UOT..... | 119 |
| Federal specification SS-R-406C..... | 170 | US Steel Method..... | 158 |
| IEC 156..... | 134 | VDE 0370..... | 134 |
| IEC 17025..... | 18-19, 48-49 | | |

Standard Specifications for Petroleum Products

The following test methods are referenced in published specifications for petroleum products. For a complete listing of available Koehler testing equipment for each product type, please refer to the applicable catalog sections.

| Product Type | Test Method | Page No. | |
|--|--|------------------------------------|---------|
| Fuels | | | |
| Automotive Gasolines | Anti-Rust Properties | 98 | |
| | Autoignition Temperature | 39 | |
| | Color | 44-47 | |
| | Copper Corrosion | 90-91 | |
| | Density | 48-50 | |
| | Existent Gum by Evaporation | 86-87 | |
| | Flash Point (Tag Closed) | 33, 35 | |
| | Kinematic Viscosity | 2-13 | |
| | Lead Content | 60 | |
| | In-line Viscosity | 21 | |
| | Octane Analyzer | 102 | |
| | Oxidation Stability | 80-84 | |
| | Rapid Flash Point Tester | 38 | |
| | Reid Vapor Pressure | 92-94 | |
| | Sampling | 66-67 | |
| | Water Content (Karl Fischer Titrator) | 51 | |
| | Aviation Fuels | Copper Corrosion | 90-91 |
| Density | | 48-50 | |
| Distillation | | 56-57 | |
| Existent Gum by Evaporation | | 86-87 | |
| Flash Point (Pensky-Martens) | | 32, 34 | |
| Flash Point (Tag Closed) | | 33, 35 | |
| Freezing Point | | 96-97 | |
| Kinematic Viscosity | | 2-13 | |
| Lead Content | | 60 | |
| In-line Viscosity | | 21 | |
| Oxidation Stability | | 80-84 | |
| Rapid Flash Point Tester | | 38 | |
| Reid Vapor Pressure | | 92-94 | |
| Sampling | | 66-67 | |
| Saybolt Color | | 44, 46-47 | |
| Silver Corrosion | | 99 | |
| Smoke Point | | 95 | |
| Sulfur Content | 58 | | |
| Burner, Diesel & Industrial Gas Turbine Fuels | API Gravity | 48-50 | |
| | ASTM Color | 45-47 | |
| | Density | 48-50 | |
| | Distillation | 56-57 | |
| | Existent Gum | 86-87 | |
| | Flash Point (Pensky-Martens) | 32, 34 | |
| | Flash Point (Tag Closed) | 33, 35 | |
| | Kinematic Viscosity | 2-13 | |
| | Oxidation Stability | 80-84 | |
| | Pour Point | 132-133 | |
| Ramsbottom Carbon Residue | 59 | | |
| Rapid Flash Point Tester | 38 | | |
| Sampling | 66-67 | | |
| Diesel Fuels | API Gravity | 48-49 | |
| | Cloud Point | 132-133 | |
| | Cold Filter Plugging Point | 100-101 | |
| | Copper Corrosion | 90-91 | |
| | Distillation | 56-57 | |
| | Existent Gum | 86-87 | |
| | Flash Point (Pensky-Martens) | 32, 34 | |
| | Kinematic Viscosity | 2-13 | |
| | | | |
| Product Type | Test Method | Page No. | |
| | Diesel Fuels (cont') | In-line Viscosity | 21 |
| | | Oxidation Stability | 80-84 |
| | | Pour Point | 132-133 |
| | | Ramsbottom Carbon Residue | 59 |
| | | Rapid Flash Point Tester | 38 |
| | Rust Preventing Characteristics | 128-129 | |
| | Wax Appearance Point | 94 | |
| | Fuel Oils | API Gravity | 48-50 |
| | | ASTM Color | 45-47 |
| | | Copper Corrosion | 90-91 |
| | | Distillation | 56-57 |
| | | Flash Point (Pensky-Martens) | 32, 34 |
| | | Flash Point (Tag Closed) | 33, 35 |
| | | Kinematic Viscosity | 2-13 |
| | | Oxidation Stability | 120-123 |
| | | Pour Point | 132-133 |
| | | Ramsbottom Carbon Residue | 59 |
| | | Rapid Flash Point Tester | 38 |
| Sampling | | 66-67 | |
| Sediment Extraction | | 61-63 | |
| Water Content by Distillation | 72 | | |
| Water Content (Karl Fischer Titrator) | 51 | | |
| Gasohol | Copper Corrosion | 90-91 | |
| | Distillation | 56-57 | |
| | Existent Gum by Evaporation | 86-87 | |
| | Lead Content | 60 | |
| | In-line Viscosity | 21 | |
| | Oxidation Stability | 80-84 | |
| | Reid Vapor Pressure | 92-94 | |
| | Rust Preventing Characteristics | 128-129 | |
| | Sulfur Content by Oxy-Hydro Burner | 58 | |
| | | | |
| | | | |
| Kerosene | Copper Corrosion | 90-91 | |
| | Distillation | 56-57 | |
| | Flash Point (Tag Closed) | 33, 35 | |
| | Freezing Point | 96-97 | |
| | Kinematic Viscosity | 2-13 | |
| | Rapid Flash Point Tester | 38 | |
| | Saybolt Color | 44, 46-47 | |
| | Smoke Point | 95 | |
| | In-line Viscosity | 21 | |
| | | | |
| Liquefied Petroleum Gas (LPG) | Copper Strip Corrosion | 89 | |
| | Density | 103 | |
| | Propane Dryness | 105 | |
| | Residues in LPG | 105 | |
| | Sampling | 66-67 | |
| | Sulfur Content | 58 | |
| | Vapor Pressure | 92-94 | |
| | Volatility | 105 | |
| | | | |
| | | | |
| Lubricants | Aircraft Engine Lubricant | | |
| | API Gravity | 48-50 | |
| | Conradson Carbon Residue | 60 | |
| | Copper Corrosion | 131 | |
| | Corrosiveness and Oxidation Stability | 119, 124-125 | |
| | Flash and Fire Points (Cleveland) | 33, 36 | |
| | Foaming Characteristics | 108-110 | |
| | Kinematic Viscosity | 2-13 | |
| | In-line Viscosity | 21 | |
| | Oxy Overpressure Method for Fuel Storage Stability | 85 | |
| | Pour Point | 132-133 | |
| | Rapid Flash Point Tester | 38 | |

Standard Specifications for Petroleum Products (Continued)

| Product Type | Test Method | Page No. | Product Type | Test Method | Page No. | | |
|---|--|---|--|---|--|---------------------------------|---------|
| Aircraft Engine Lubricant (con't) | Sampling..... | 66-67 | Steam Turbine Lubricating Oils | Air Release Properties of Petroleum Oils..... | 113 | | |
| | Water & Sediment Content by Centrifuge Method .. | 62-63 | | Copper Corrosion..... | 131 | | |
| | Water Content (Karl Fischer Titrator) | 51 | | Flash and Fire Points (Cleveland)..... | 33, 36 | | |
| | Wax Appearance Point..... | 94 | | Foaming Characteristics..... | 108-110 | | |
| Automatic Transmission Fluid | Copper Corrosion..... | 131 | Kinematic Viscosity | 2-13 | | | |
| | Density | 48-49 | Noack Test..... | 136 | | | |
| | Foaming Characteristics..... | 108-110 | Oxidation Characteristics | 120-123 | | | |
| | Rust Preventing Characteristics | 128-129 | Oxidation Stability (RBOT)..... | 114-118 | | | |
| Automotive Engine Oil | API Gravity..... | 48-49 | Pour Point..... | 132-133 | | | |
| | ASTM Color | 45-47 | Rapid Flash Point Tester | 38 | | | |
| | Conradson Carbon Residue..... | 60 | Rust Preventing Characteristics | 128-129 | | | |
| | Density | 48-50 | Sampling..... | 66-67 | | | |
| | Distillation at Reduced Pressures..... | 52-55 | Water Content (Karl Fischer Titrator) | 51 | | | |
| | Flash and Fire Points (Cleveland)..... | 33, 36 | Water Separability..... | 111 | | | |
| | Flash and Fire Points (Tag Open) | 37 | Turbine Oils and Synthetic Lubricants | Air Release Properties of Petroleum Oils..... | 113 | | |
| | Flash Point (Pensky-Martens)..... | 32, 34 | | Flash Point (Pensky-Martens)..... | 32, 34 | | |
| | Flash Point (Tag Closed)..... | 33, 35 | | Foaming Characteristics..... | 108-110 | | |
| | Foaming Characteristics..... | 108-110 | | Kinematic Viscosity | 2-13 | | |
| | Kinematic Viscosity | 2-13 | | Noack Test..... | 136 | | |
| | Low Temperature Brookfield Viscosity..... | 14-15 | | Oxidation Stability (RBOT/TFOUT)..... | 114-118 | | |
| | Micro-oxidation Test | 166 | | Pour Point..... | 132-133 | | |
| | Noack Test..... | 136 | | Rapid Flash Point Tester | 38 | | |
| | Pour Point..... | 132-133 | | Other Products | Bituminous Materials (including waxes) | Blocking and Picking Point..... | 177 |
| | Ramsbottom Carbon Residue..... | 59 | | | | Ductility..... | 170-171 |
| | Rapid Flash Point Tester..... | 38 | Flash and Fire Points (Cleveland)..... | | | 33, 36 | |
| Saybolt Color | 44, 46-47 | Flash Point (Tag Open) | 37 | | | | |
| Water Content (Karl Fischer Titrator) | 51 | Float Test | 176 | | | | |
| Water Content by Distillation..... | 72 | Melting Point of Waxes | 178 | | | | |
| Automotive Lubricating Grease | Air Release Value | 113 | Oil Distillate in Emulsified Asphalts..... | | | 176 | |
| | Apparent Viscosity..... | 157 | Penetration..... | | | 24-29 | |
| | Corrosiveness Preventive Properties..... | 154 | Rapid Flash Point Tester | | | 38 | |
| | Dropping Point | 150-151 | Rolling Thin-Film Oven Test | | | 175 | |
| | Evaporation Loss..... | 148-149 | Saybolt Viscosity | 16-17 | | | |
| | Leakage Tendencies..... | 160 | Softening Point | 172 | | | |
| | Life Performance | 161 | Tensile Strength | 171 | | | |
| | Low Temperature Brookfield Viscosity..... | 14-15 | Viscosity by Vacuum Capillary Viscometer | 2-13 | | | |
| | Low Temperature Torque..... | 159 | Water Content by Distillation | 72 | | | |
| | Oxidation Stability | 152-153 | Electrical Insulating Oils | Aniline Point..... | 42-43 | | |
| Penetration..... | 24-29 | ASTM Color | | 45-47 | | | |
| Rust Protection | 65 | Flash and Fire Points (Cleveland)..... | | 33, 36 | | | |
| Gear Oils | Copper Corrosion..... | 131 | | Kinematic Viscosity | 2-13 | | |
| | Demulsibility Characteristics | 112 | | Oxidation Stability (RBOT/TFOUT)..... | 114-118 | | |
| | Foaming Characteristics..... | 108-110 | | Pour Point..... | 132-133 | | |
| | Kinematic Viscosity | 2-13 | | Saybolt Viscosity | 16-17 | | |
| | Oxidation Stability | 120-123 | | Visual Examination..... | 45 | | |
| | Rust Preventing Characteristics | 129-129 | | Solvents | Aniline Point..... | 42-43 | |
| | Saybolt Viscosity | 16-17 | | | API Gravity..... | 49-50 | |
| | Thermal Oxidation Stability..... | 127 | ASTM Color | | 45-47 | | |
| | Water Content (Karl Fischer Titrator) | 51 | Copper Corrosion | | 90-91 | | |
| | Hydraulic and Metalworking Fluids | Corrosiveness and Oxidation Stability | 119, 124-125 | | Distillation | 56-57 | |
| Flash and Fire Points (Cleveland)..... | | 33, 36 | Flash Point (Pensky-Martens)..... | | 32, 34 | | |
| Four Ball Wear Test..... | | 140 | Flash Point (Tag Closed)..... | | 37 | | |
| Micro-oxidation Test | | 166 | Kinematic Viscosity | | 2-13 | | |
| Oil Separation..... | | 164-165 | Rapid Flash Point Tester | | 38 | | |
| Oxidation Stability | | 114-118 | Sampling..... | | 66-67 | | |
| Roll Stability | | 156 | Saybolt Color | 44, 46-47 | | | |
| Water Washout Characteristics..... | 162 | Vapor Pressure..... | 92-94 | | | | |
| | | | Volatility..... | 105 | | | |
| | | | Water Content (Karl Fischer Titrator) | 51 | | | |

General Index

A

| | |
|---|--------------|
| Acidity (Inorganic) of Petroleum Products | 60 |
| Acidity and Alkalinity in Greases | Upon Request |
| AFNOR Standards | |
| See AFNOR Index | 218 |
| Air Jet Erosion Tester | 146 |
| American Association of State Highway and Transportation Officials (AASHTO) Standards | |
| See AASHTO Index | 217 |
| American Petroleum Institute (API) Standards | |
| See API Index | 217 |
| Anhydride Purity Bath | 68 |
| Aniline Point of Petroleum Products | 42-43 |
| Antirust Properties of Petroleum Products Pipeline Cargoes | 98 |
| AOCs Penetration Cone | 27 |
| API Gravity Hydrometers | 48-50 |
| Apparent Viscosity of Lubricating Grease | 157 |
| Aqueous Engine Coolant Solution, Freezing Point of | 68 |
| Ash Determination | Upon Request |
| Asphalt Institute Viscometers | 13 |
| Asphalts | |
| Please refer to the "Bitumens and Waxes" section | 169-180 |
| Assessing Distillate Fuel Storage Stability by Oxygen Overpressure | 85 |
| ASTM Cooper Strip Corrosion Standards | 89 |
| ASTM Metric Thermohydrometers | 48-49 |
| ASTM Test Methods | |
| See ASTM Index | 215-216 |
| ASTM Thermometers | 184-191 |
| Autoignition Temperature of Liquid Chemicals | 39 |
| Automated/Automatic | |
| Air Release Value Apparatus | 113 |
| Aniline Point | 42 |
| Breaking Point | 173 |
| Cloud and Pour Point | 133 |
| Cold Filter Plugging Point | 101 |
| Color Measurement | 46-47 |
| Distillation | 54-55, 57 |
| Ductility | 171 |
| Field Oil Test Kits/Stations | 76-77 |
| Flash Point | 32-33 |
| Freezing Point | 101 |
| Karl Fischer Titrator | 51 |
| Kinematic Viscosity | 7 |
| Melting Point Range | 69 |
| Penetration | 25 |
| Refractive Index | 73 |
| Remaining Useful Life Evaluation Routine (RULER®) | 74-75 |
| Saybolt Viscosity | 16 |
| Softening Point | 172 |
| Automotive Gasoline | |
| See Standard Specifications for Petroleum Products Index | 219 |
| Aviation Fuels | |
| See Standard Specifications for Petroleum Products Index | 219 |

B

| | |
|---|--------------|
| Bacon Bomb Samplers | 66 |
| Bath Oil | 8 |
| Baths | |
| General Purpose | 70-71 |
| Penetrometer | 29 |
| See individual product/test listings | |
| Bearing Compatibility of Turbine Oils | 131 |
| Bearing and Grease Noise Characteristics | 143 |
| Bending Apparatus | 173 |
| Benzene, Toluene, and Total Aromatics Standards | Upon Request |
| Bituminous Materials | |
| Please refer to "Bitumens and Waxes" section | 169-180 |
| Penetration Test (See "Penetration" section) | 23-30 |
| Water Content by Distillation | 72 |
| Bituminous Materials in Tension | 171 |
| Blocking and Picking Points of Petroleum Wax | 177 |
| Bomb (Pressure Vessel) | 80, 114, 152 |
| Breaking Point of Bitumen, Fraass Method | 173 |
| Brookfield Viscometer | 14-15 |
| BS/IP/RF U-Tube Viscometers | 12 |
| Burning Characteristics | Upon Request |
| Burst Disk Assembly | 81-82 |

C

| | |
|--|--------------|
| Calibration Baths | |
| High temperature and low temperature of liquid-in-glass thermometers | 63 |
| Calibration Kit, for Penetrometer | 25 |
| Capillary Viscometers | |
| Cannon®-Fenske Viscometers | 10-11 |
| Cannon®-Manning Viscometers | 12-13 |
| Cannon®-Ubbelohde Viscometers | 11 |
| Carbon Residue | |
| Conradson | 60 |
| Ramsbottom | 59 |
| Catalysts | |
| for Lubricating Oil Oxidation Stability Tests | 122 |
| for RBOT | 115 |
| for TFOUT | 115 |
| Centrifuge | 62-63 |
| Chlorides | 58 |
| Chlorine Photometer | Upon Request |
| Chromometer, Saybolt | 44, 46-47 |
| Cigre Bath | 126 |
| Circulators, Refrigerated | 70-71 |
| Cleveland Open Cup Flash Tester | 33, 36 |
| Cloud Point of Petroleum Oils | 132-133 |
| Cobalt Bromide Dryness Test | 105 |
| Coking Bulbs | 59 |
| Coking Tendency of Oil | 135 |
| Cold Filter Plugging Point of Distillate Fuels | 100-101 |
| Color | |
| Automated Colorimeter | 46-47 |
| ASTM | 45-47 |
| of Electrical Insulating Oils | 45-47 |
| of Gasoline | 46-47 |
| of Maleic and Phthalic Anhydrides | 68 |
| of Saybolt | 44, 46-47 |

General Index (Continued)

| | |
|--|-----------------|
| Compactors | Upon Request |
| Condition Monitoring | 74-77 |
| Conductivity | Upon Request |
| Cones, Penetrometer | 26-27 |
| Conradson Carbon Residue | 60 |
| Constant Temperature Baths | |
| See individual product listings | |
| Copper Strip Corrosion | 90 |
| (Copper Strip Tarnish Test) | 90-91, 131, 155 |
| Copper Corrosion from Petroleum Products | 90-91, 131, 155 |
| Copper Strip Corrosion by Liquefied Petroleum (LP) Gases | 89 |
| Corrosion of Aviation Fuels | |
| (Silver Strip Tarnish Test) | 99 |
| Corrosion of Cast Aluminum Alloys in Engine Coolants | Upon Request |
| Corrosion of Lead by Lubricating Oils | 130 |
| Corrosion Inhibition Properties of Greases | 144 |
| Corrosion Preventive Properties of Lubricating Greases | 154 |
| Corrosiveness and Oxidation Stability of Petroleum Oils | 119, 124-125 |
| Coulometric Karl Fischer Titrator | 51 |
| Cross-Arm Viscometers | 12 |
| Crude Oil | |
| Density, Relative Density or API Gravity of | 48-49 |
| Salt Content of | 61 |
| Sediment in | 61-63 |

D

| | |
|--|--------------|
| Data Acquisition | |
| for Low Temperature Torque of Lubricating Greases | 159 |
| for RBOT | 114-115 |
| for TFOUT | 114-115 |
| for Tribology Equipment | 141 |
| Daylight Lamp | 44 |
| Dean and Stark Apparatus | 72 |
| Deleterious Particles Determination Apparatus | 166 |
| Demulsibility Characteristics | 112 |
| Density | |
| of Light Hydrocarbons by Pressure Hydrometer | 103 |
| of Petroleum Products | 48-50 |
| Deutsche Norm (DIN) Standards | |
| See DIN Index | 217 |
| Dew Point | 88 |
| Dielectric Breakdown Voltage of Insulating Liquids | 134 |
| Diesel Fuels | |
| Soot Content in | Upon Request |
| Diffuser Stones, for Foaming Characteristics Test | 110 |
| Digital | |
| Penetrometer | 25 |
| Stopwatch | 8 |
| Tachometer | 112 |
| Thermometer | Upon Request |
| Distillation | |
| of Petroleum Products | 56-57 |
| of Petroleum Products at Reduced Pressures | 52-55 |
| Water Content by | 72 |
| Draft Shield | |
| for Tag Open Cup Flash Tester | 37 |
| Drop Melting Point | Upon Request |
| Dropping Point of Lubricating Greases | 150-151 |

| | |
|---|---------|
| Drum Thief | 67 |
| Dry Abrasion Tester | 146 |
| Ductility of Bituminous Materials | 170-171 |

E

| | |
|---|---------|
| Effect of Heat and Air on Asphaltic Materials (Thin-Film Oven Test) | 174 |
| Effect of Heat and Air on a Moving Film of Asphalt | |
| (Rolling Thin Film Oven Test) | 175 |
| Electrometric Salt Determinator | 61 |
| Emcor Grease Testing Machine | 144 |
| Estimation of Deleterious Particles in Lubricating Grease | 166 |
| Evaporation Bath | |
| for Existent Gum in Fuels | 86 |
| for Lubricating Greases and Oils | 148-149 |
| Evaporation Cabinet, for Oil Content of Petroleum | 179 |
| Evaporation Loss | |
| by NOACK Method | 136 |
| of Lubricating Oils and Greases | 148-149 |
| Existent Gum in Fuels by Jet Evaporation | 86-87 |
| Extension Rods, for Sample Thief | 66 |
| Extraction Apparatus | 60-61 |
| Extreme Pressure Lubricants | |
| Demulsibility Characteristics | 112 |
| Oxidation Stability | 120-122 |

F

| | |
|--|--------------|
| Federal Test Method Standards | |
| See FTM Index | 217 |
| Filter Stick Assembly | 179 |
| Fire Point Tester | 33, 36 |
| Flash Point Testers | |
| Cleveland Open Cup | 33, 36 |
| Pensky-Martens | 32, 34 |
| Rapid Tester (Setaflash) | 38 |
| Tag Closed Cup | 33, 35 |
| Tag Open Cup | 37 |
| Float Test for Bituminous Materials | 176 |
| Fluorescent Indicator Absorption Apparatus | 104 |
| Foaming Characteristics of Lubricating Oils | 108-110 |
| Force Measurement Adapter | 171 |
| Four Ball Wear and Friction Test | 140 |
| Four Ball EP Test | 140 |
| Frass Method | 173 |
| Freezing Point Apparatus | |
| for Aqueous Engine Coolant Solution | 68 |
| for Aviation Fuels | 96-97 |
| for Distillate Fuels | 96-97 |
| for Purity of Styrene | Upon Request |
| Friction and Wear Test Equipment | 139-146 |
| Front View Distillation Apparatus | 56 |
| Fuel Dilution Monitoring | Upon Request |
| Fuel Oils | |
| See Standard Specifications for Petroleum Products Index | 219 |
| Fuels | |
| Please refer to the "Fuels" section | 79-106 |
| Fuel Storage Stability | 85 |
| Furol Orifice | 17 |
| FZG Tester | Upon Request |

General Index (Continued)

G

| | |
|-----------------------------------|---------|
| Gauging Pole..... | 67 |
| General Purpose Baths..... | 70-71 |
| Glassware for ASTM Methods..... | 192-196 |
| See individual product listing | |
| Grease Cutter..... | 26 |
| Grease Noise Characteristics..... | 143 |
| Grease Noise Tester..... | 143 |
| Grease Mobility Test..... | 158 |
| Grease Workers..... | 28 |

H

| | |
|--|---------|
| Half Scale Penetration Equipment..... | 27 |
| See "Penetration" section..... | 23-30 |
| Heat Transfer Fluid..... | 8 |
| Heating- Cooling Tube for Aniline Point Apparatus..... | 42 |
| Herschel Emulsifier..... | 111 |
| Heterogeneous Propellants Yield Stress of | |
| See "Penetration" section..... | 23-30 |
| High Temperature | |
| Dropping Point Apparatus..... | 151 |
| General Purpose Baths..... | 70-71 |
| Evaporation Loss Tester..... | 149 |
| Kinematic Viscosity Bath..... | 5 |
| Utility Bath..... | 70-71 |
| Wheel Bearing Grease Tester..... | 161 |
| Horizontal Disc Rust Test..... | 128-129 |
| Hot Air Gun for Autoignition Test..... | 39 |
| Humidity Cabinet..... | 65 |
| Hydrocarbon Types in Liquid Petroleum Products..... | 104 |
| Hydrometers and Accessories..... | 48-50 |

I

| | |
|---------------------------------------|--------------|
| Immersion Viscometer..... | Upon Request |
| In-Line Viscometers..... | 21 |
| Institute of Petroleum (IP) Standards | |
| See IP Standards Index..... | 216 |
| Interfacial Tension..... | Upon Request |
| ISO International Standards | |
| See ISO Index..... | 217 |

K

| | |
|-------------------------------|-------|
| Kansas Road Oil Orifices..... | 17 |
| Karl Fischer Titrator..... | 51 |
| Kinematic Viscosity..... | 2-13 |
| Viscometers..... | 10-13 |

L

| | |
|---|-----|
| L-60-1 Performance Test..... | 127 |
| Lead Corrosion Apparatus..... | 130 |
| Lead in Gasoline..... | 60 |
| Leakage Tendencies of Automotive Wheel..... | 160 |
| Levelling Device | |
| for Tag Open Cup Flash Tester..... | 37 |
| Life Performance of Automotive Wheel Bearing Greases..... | 161 |

Liquefied Petroleum (LP) Gases

| | |
|-------------------------------|-------|
| Copper Strip Corrosion..... | 89 |
| Corrosion Test Cylinders..... | 89 |
| Density..... | 103 |
| Dryness Test..... | 105 |
| Residues in..... | 105 |
| Sample Containers..... | 67 |
| Sulfur Content..... | 58 |
| Vapor Pressure of..... | 92-94 |
| Volatility of..... | 105 |

Loss on Heating of Oil and Asphaltic Compounds..... 174

Low Temperature

| | |
|---------------------------------|---------|
| Brookfield Viscosity Bath..... | 14-15 |
| Cloud Point and Pour Point..... | 132-133 |
| Grease Mobility Tester..... | 158 |
| Kinematic Viscosity Bath..... | 6 |
| Pressure Viscometer..... | 157 |

Low Temperature Torque of Lubricating Greases..... 159

Lubricating Ability of Greases..... 145

Lubricating Greases

| | |
|---|-------|
| Please refer to the "Lubricating Greases" section | |
| Penetration Tests..... | 23-30 |

Lubricating Oils

| | |
|---|---------|
| Please refer to the "Lubricating Oils" section..... | 107-138 |
|---|---------|

M

| | |
|---|--------------|
| Manometer for RVP Test..... | 94 |
| Marshall Apparatus..... | Upon Request |
| Mechanical and Dynamic Behavior of Greases..... | 145 |
| Mechanical Stability of Greases..... | 144 |
| Melting Point Apparatus..... | 69 |
| Melting Point of Petroleum Wax..... | 178 |
| Mercaptan Sulphur..... | Upon Request |
| Metal Test Specimens | |
| See individual product listing | |
| See "Test Specimens" section..... | 197 |

Metalworking Fluids

| | |
|--|---------|
| Corrosiveness and Oxidation Stability..... | 124-125 |
| Flash and Fire Points (Cleveland)..... | 33, 36 |
| Four Ball Wear Test..... | 140 |
| Micro-Oxidation..... | 166 |
| Oil Separation..... | 164-165 |
| Oxidation Stability..... | 114-118 |
| Roll Stability..... | 156 |
| Water Washout Characteristics..... | 162 |

Micro-Oxidation..... 166

Micro-Tribometer..... Upon Request

Microprocessor Based Penetrometer..... 25

Mineral Oil..... 8

Modified Koppers Viscometer..... 13

Multispecimen Tester..... 146

N

NACE Corrosion Test for Pipeline Products..... 98

Navy Work Factor Machine..... 130

Needles, Penetrometer..... 26-27

Noack Evaporation Loss Tester..... 136

Norma Hoffman Bomb..... 152

General Index (Continued)

O

| | |
|--|--------------|
| Octane Analyzer | 102 |
| Oil Comparator | 45 |
| Oil Content of Petroleum Waxes | 179 |
| Oil Separation-from Lubricating Grease | 164-165 |
| Orifices, Saybolt | 17 |
| Oven Rolling Thin Film Oven Test | 175 |
| Overflow Ring | 28 |
| Over-Temperature Control | Upon Request |
| Oxidata™ Pressure Measurement System | |
| for Oxidation Stability of Gasoline and Aviation Fuels | 83-84 |
| for Oxidation Stability of Lubricating Greases | 151 |
| for RBOT and TFOUT Methods | 114-115 |
| Oxidation Pressure Vessel | 80, 114, 152 |
| Oxidation Test for Lubricating Oil | 126 |
| Oxidation Stability | |
| See also "Corrosiveness and Oxidation Stability" | |
| by Rotating Bomb Oxidation Test (RBOT) | 114-118 |
| Micro-Oxidation Test | 166 |
| of Automotive Gasoline | 80-83 |
| of Automotive Gear Lubricants | 127 |
| of Aviation Fuels | 80-83 |
| of Extreme Pressure Lubricating Oils | 119-122 |
| of Gasoline Automotive Engine Oils (TFOUT) | 114-118 |
| of Gasoline (Induction Period Method) | 80-83 |
| of Inhibited Mineral Insulating Oils | 126 |
| of Inhibited Mineral Insulating Oils by Rotating Bomb | 114-118 |
| of Inhibited Minerals Oils | 119-122 |
| of Inhibited Mineral Turbine Oils | 126 |
| Oxidation Stability (con't) | |
| of IP Methods | 126 |
| of Lubricating Grease | 152-153 |
| of Mineral Insulating Oils | 123, 126 |
| of Distillate Fuel Oils | 119-122 |
| of Steam Turbine Oils by Rotating Bomb | 114-118 |
| of Straight Mineral Oil | 126 |
| Oxy-Hydrogen Burner | 58 |
| Oxygen Overpressure | 85 |
| Oxygenates Standards | Upon Request |

P

| | |
|--|---------|
| Panel Coking Test Apparatus | 135 |
| Pastes, Penetration of | 24-29 |
| Penetrometers and Accessories | 24-29 |
| Pensky-Martens Closed Cup Flash Testers | 32, 34 |
| Petrolatum | |
| Penetration Test—See "Penetration" section | 23-30 |
| Petroleum Colorimeter | 45 |
| Petroleum Standards | 182 |
| Petroleum Waxes | |
| Please refer to the "Bitumens and Waxes" section | |
| Penetration Test | 24-29 |
| Pin and V-Block Test | 146 |
| Pin-on-Disc Tester | 142 |
| Portable Viscometer | 20 |
| Pour Point of Petroleum Oils | 132-133 |
| Precooling Apparatus | 105 |
| Pressure Bleeding Test Cell | 165 |

| | |
|--|--------------|
| Pressure Gauge | |
| for Oxidation Stability of Gasoline and Aviation Fuels | 84 |
| for Oxidation Stability of Lubricating Greases | 152 |
| for Reid Vapor Pressure | 92 |
| Pressure Hydrometer Cylinder | 103 |
| Pressure Measurement and Recording Systems | |
| for Oxidation Stability of Gasoline and Aviation Fuels | 84 |
| for Oxidation Stability of Lubricating Greases | 152-153 |
| for RBOT and TFOUT Methods | 115, 117-118 |
| Pressure Recorder | |
| for Oxidation Stability of Gasoline and Aviation Fuels | 84 |
| for RBOT Test | 117 |
| Pressure Vessel | 85 |
| Pressure Viscometer | 157 |
| Propane Dryness Test | 105 |
| Purity of Styrene by Freezing Point Method | Upon Request |

Q

| | |
|---|-------|
| Quarter Scale Penetration Equipment | 27 |
| See "Penetration" section | 23-30 |

R

| | |
|---|--------------|
| R2F Grease Testing Machine | 145 |
| ROF Grease Testing Machine | 145 |
| Ramsbottom Carbon Residue | 59 |
| Rapid Flash Tester | 38 |
| Reciprocatory Friction Tester | 141 |
| Refractive Index | 73 |
| Refrigerated Baths and Circulators | |
| General Purpose | 70-71 |
| See individual product listings | |
| Reid Vapor Pressure | 92-94 |
| Relative Density of Petroleum Products | 48-49 |
| Remaining Useful Life Routine (RULER®) | 75-76 |
| Residue and Oil Distillate in Emulsified Asphalts by Distillation | 176 |
| Residues in Liquid Petroleum (LP) Gases | 105 |
| Resistance of Lubricating Grease to Water Spray | 163 |
| Resistance to Plastic Flow of Bituminous Mixtures Using | |
| Marshall Apparatus | Upon Request |
| Ring and Ball Apparatus | 172 |
| Roll Stability of Lubricating Grease | 156 |
| Rolling Thin Film Oven Test | 175 |
| Rotating Bomb Oxidation Tests (RBOT) | 114-118 |
| Rust Preventing Characteristics | 98, 128-129 |
| Rust Protection by Metal Preservatives | 65 |

S

| | |
|--------------------------------------|-------|
| Salt Content | |
| Electrometric Method | 61 |
| Extraction Method | 60 |
| Samplers | 66-67 |
| Saybolt Chromometers | 44 |
| Saybolt Viscosity | 16-17 |
| Scratch Tester | 146 |
| Sediment in Crude Oils and Fuel Oils | |
| by Extraction | 61 |
| by Centrifuge | 62-63 |

General Index (Continued)

| | |
|---|--------------|
| Separatory Funnel | 112 |
| Sequence IV Foaming Characteristics Test | 108-110 |
| Setaflash Tester | 38 |
| Shear Stability | 146 |
| Sighting Device, for Smoke Point Lamp | 95 |
| Silicone Heat Transfer Fluid | 8 |
| Silver Corrosion by Aviation Turbine Fuels | 99 |
| Slurry Abrasion Tester | 146 |
| Smoke Point of Aviation Fuels | 99 |
| Softening Point of Bitumen | 172 |
| Solvent Extractables in Petroleum Waxes | 179 |
| Soot Levels in Diesel Engine Oils | Upon Request |
| Spare Parts | 198 |
| Specific Gravity | 48-49 |
| Stability-Corrosion Test for Non-Aqueous Fire Resistant Fluids | 126 |
| Stability of Lubricating Oils (Work Factor) | 130 |
| Standards | |
| Petroleum Test Standards | 182-182 |
| Steam Generator for Existent Gum in Fuels | 87 |
| Steam Superheater | 87 |
| Stirrer Motor | |
| for Freezing Point Apparatus | 96 |
| for Pensky-Martens Closed Tester | 34 |
| Stopwatch, Digital | 8 |
| Sulfonation Flasks | 64 |
| Sulfur in Petroleum Products and Liquefied Petroleum (LP) Gases | 58 |
| Sulfur Standards | Upon Request |

T

| | |
|---|--------------|
| Table Socket | 81 |
| Tag Closed Cup Tester | 33, 35 |
| Tag Open Cup Flash Tester | 37 |
| Tank Car Gauging Pole | 67 |
| Tapping Torque Tester | 146 |
| Temperature Limit Control | Upon Request |
| Test Tube Bath | 90 |
| Test Bomb Bath | 90 |
| Test Kits (Covers a Wide Range of Tests) | 76-77 |
| Test Specimens | 197 |
| Thermal Oxidation Stability of Automotive Gear Lubricants | 127 |
| Thermohydrometers | 48-49 |
| Thermometers | 184-191 |
| Digital Thermometer | Upon Request |
| Thin Film Aniline Point Apparatus | 43 |
| Thin-Film Oven Test | 174 |
| Thin Film Oxidation Uptake Test (TFOUT) | 114-118 |
| Thin Film Oven Test, Rolling | 175 |
| Timken Test | 146 |
| Titration | 51 |
| Torque Wrench for Leakage Tendencies Test | 160 |
| Trace Quantities of Total Sulfur | 58 |
| Traces of Volatile Chlorides in Butane-Butene Mixtures | 58 |
| Transfer Dish | 26 |
| Tribology | 139-146 |
| Measurement and Data Acquisition System | 141 |
| Turbidimeter | Upon Request |
| Turbine Oils | |
| See Standard Specifications for Petroleum Products Index | 220 |

U

| | |
|---|--------------|
| U-Tube Aniline Point Apparatus | 43 |
| Ubbelohde Viscometers | 11 |
| Universal Micro-Tribometer | Upon Request |
| Universal Orifices | 17 |
| Universal Wear Test | 146 |
| Un sulfonated Residue of Petroleum Plant Spray Oils | 64 |
| Utility Heater | 72 |

V

| | |
|--|--------------|
| V2F Grease Testing Machine | 144 |
| Vacuum Distillation Apparatus | 52-55 |
| Vacuum Pump for Viscosity of Asphalts by Vacuum | |
| Capillary Viscometers | 13 |
| Vacuum Regulator | 13 |
| Vane Pump Wear | 146 |
| Vapor Identification System | Upon Request |
| Vapor Pressure of Petroleum Products and Liquefied | |
| Petroleum (LP) Gases | 92-94 |
| Viscometer Cleaning and Drying Apparatus | 9 |
| Viscometer Holders | 8 |
| Viscometers | 10-13 |
| See Apparent Viscosity, Brookfield Viscosity, Kinematic Viscosity, Saybolt | |
| Viscosity and Thomas Stormer Apparatus | |
| Viscosity | 1-22, 76-77 |
| Viscosity Standards | 16 |
| Viscosity Timer | 4, 8 |
| Volatility of Liquefied Petroleum (LP) Gases | 105 |

W

| | |
|---|---------|
| Water and Sediment Content by Centrifuge Method | 62-63 |
| Water Baths | 70-71 |
| Water in Petroleum Products | |
| by Distillation | 72 |
| Karl Fischer Titration | 51 |
| Water Separability of Petroleum Oils and Synthetic Fluids | 111 |
| Water Spray Apparatus for Lubricating Grease | 163 |
| Water Washout Characteristics of Lubricating Greases | 162 |
| Wax Appearance Point of Distillate Fuels | 94 |
| Wax Coating Device | 177 |
| Wax Melting Point Apparatus | 178 |
| Waxes | |
| See "Bitumens and Waxes" section | |
| Penetration Test—See "Penetration" section | |
| Saybolt Color of | 44, 47 |
| Wear Testing Equipment | 139-146 |
| Weathering Test for LPG | 105 |
| Weighted Beaker | 67 |
| Wet Test Gas Meter | 110 |
| Wickbold Combustion Apparatus | 58 |
| Wicks, for Smoke Point Lamp | 95 |

For more information, please contact us:

ExpotechUSA

10700 Rockley Road
Houston, Texas 77099
USA

281-496-0900 [voice]

281-496-0400 [fax]

E-mail: sales@expotechusa.com

Website: www.ExpotechUSA.com